




KRING

FEEL WELCOME



ENGLISH: TAP INSTALLATION INSTRUCTIONS
ROMANA: INSTRUCȚIUNI DE MONTARE A BATERIEI SANITARE
БЪЛГАРСКИ: ИНСТРУКЦИИ ЗА МОНТАЖ НА САНИТАРЕН СМЕСИТЕЛ
MAGYAR: CSAPTELEP SZERELÉSI UTASÍTÁS
POLSKI: INSTRUKCJA MONTAŻU BATERII




EN: Standing model tap installation

RO: Instalarea bateriilor sanitare stativ


BG: Инсталиране на изправени санитарни смесители

HU: Érintse meg a telepítést


PL : Instalacja baterii stojącej




1.




2.



3.



4.



ENGLISH

Basic technical data


Maintenance activities

The place and way of installation needs to ensure free access to any possible dismantling and a possibility of carrying out maintenance or repair activities.

The tap should be installed by persons with appropriate qualifications. Any possible damage caused as a result of unprofessional assembly or maintenance is not covered by warranty.

In order to ensure long and reliable use of the tap it is required to apply ball valves with a filter with regard to standing taps or seals with strainers with regard to wall taps.

Requirements for taps other than thermostatic taps:



Maintenance activities

- A user is obliged to clean the following on a regular basis: aerator, ball valves with a filter, tap's surface, to check connections of hoses, filters.
- For cleaning fittings it is necessary to use only cleaners recommended by the producer. For cleaning fittings it is required to use only a soft cloth. After cleaning the surface, it is necessary to rinse remainders of a cleaner with water.
- It is forbidden to use any chemical substances including: sodium hypochlorite and potassium hypochlorite, chlorine compounds, alcohol, bases, strong acids and solvents.
- It is forbidden to use steam cleaners.
- It is forbidden to use, for cleaning, any abrasive materials and substances due to high sensitivity of chrome-plated and painted surface.

DECLARATION OF PERFORMANCE

No BMIX/D6/2020

1. Identification name of the product:
 - a. graphite sink mixer
 - b. sand sink mixer
 - c. alabaster sink mixer
 - d. grey sink mixer
2. Unique identification code :
 - a. BEW 260M; BEW 260E; BEW 262M; BEW 262E;
 - b. BEW 760M; BEW 760E; BEW 762M; BEW 762E;
 - c. BEW L62M, BEW L62E
 - d. BEU S62M; BEU S62E
3. To apply with: **Sanitary appliances installed in rooms used for bodily hygiene (cloakrooms, bathrooms, etc.) and in kitchens, i.e. for use with baths, wash basins, bidets, showers and sinks.**
4. Name, registered trade name or registered trade mark and contact address of the manufacturer:
Deante Antczak Sp.J. ul. Twarda 11/13 95-100 Zgierz, POLAND.
5. Name and address of authorised representative: not applicable.
6. System(s) of assessment and verification of constancy of performance of the product: System No: 4.
7. Domestic and European technical assessment:
 - a. EN 817:2008.
8. Declared performances:

Essential characteristics	Performance	Technical assessment	Technical assessments parts
Materials	Pass	EN 817:2008	Part 5
Dimensional characteristics	Pass		Part 6
Leaktightness characteristics	Pass		Part 8
Preassure resistance characteristics	Pass		Part 9
Hydraulic characteristics	Pass, for pressure 0,3 MPA BEW 260M – class A BEW 260E – class A BEW 262M – class Z BEW 262E – class Z BEW 760M – class A BEW 760E – class A BEW 762M – class Z BEW 762E – class Z BEW L62M – class Z BEW L62E – class Z BEU S62M – class Z BEU S62E – class Z		Part 10
Mechanical strenght characteristics – torsion test for operating mechanism	Pass		Part 11
Mechanical endurance characteristics	Pass		Part 12
Backflow protection	Pass		Part 13
Acoustic characteristics	Pass group I		Part 14

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.
8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Lodz, 2020-02-14

Original file is signed on behalf of the manufacturer by

Mr Wojciech Borkowski (CEO)

ROMANA

Date tehnice de baza


Activitati de intretinere

Locul si modul de instalare trebuie sa asigure accesul liber la orice activitati de dezasamblare si posibilitatea de a efectua activitati de intretinere sau reparare.

Bateria trebuie sa fie instalata de catre persoane cu calificari corespunzatoare. Orice daune cauzate de asamblarea si intretinerea incorecte nu sunt acoperite de garantie.

Pentru o utilizare eficienta si de lunga durata a bateriei, este necesara aplicarea unei supape cu bila cu filtru in cazul bateriilor sanitare statice sau filtre Y in cazul bateriilor sanitare cu prindere in perete.

Cerinte pentru bateriile sanitare, altele decat bateriile cu termostat:



Activitati de intretinere

- Utilizatorul are obligatia de a curata in mod regulat urmatoarele elemente: aeratorul, supapele cu bila cu filtru, suprafata bateriei, verificarea conexiunilor furtunurilor si filtrelor.
- Pentru curatare este necesar sa se utilizeze numai detergentii recomandati de producator. Pentru curatare este recomandata utilizarea unei carpe moi. Dupa curatarea suprafetei, este necesara clatirea cu apa.
- Este interzisa utilizarea oricaror substante chimice, cum ar fi: hipocloritul de sodiu si hipocloritul de potasiu, compusii clorului, alcoolul, bazele, acizii puternici si solventi.
- Este interzisa utilizarea dispozitivelor de curatare cu aburi.
- Este interzisa utilizarea in cadrul procesului de curatare a materialelor si substantelor abrazive din cauza sensibilitatii ridicate a suprafetelor cromate si vopsite.

DECLARATIE DE PERFORMANTA

Nr BMIX/D6/2020

1. Nume de identificare a produsului:
 - a. Baterie pentru chiuveta, grafit
 - b. Baterie pentru chiuveta, crem
 - c. Baterie pentru chiuveta, alabastru
 - d. Baterie pentru chiuveta, gri
2. Cod unic de identificare :
 - a. BEW 260M; BEW 260E; BEW 262M; BEW 262E;
 - b. BEW 760M; BEW 760E; BEW 762M; BEW 762E;
 - c. BEW L62M, BEW L62E
 - d. BEU S62M; BEU S62E
3. Utilizare: **Aparate sanitare instalate in incaperi folosite pentru igiena corporala (vestiare, bai etc.) si in bucatarii, adica pentru cazi, bideuri, dusuri si chiuvete.**
4. Denumire, denumire comerciala inregistrata sau marca inregistrata si adresa de contact a producatorului:
Deante Antczak Sp.J. ul. Twarda 11/13 95-100 Zgierz, POLONIA.
5. Numele si adresa reprezentantului autorizat: nu se aplica.
6. Sistemul (sistemele) de evaluare si verificarea constantei performantei produsului: Sistem nr: 4.
7. Evaluare tehnica interna si europeana:
 - a. EN 817:2008.
8. Performante declarate:

Caracteristici esentiale	Performanta	Evaluare tehnica	Piese evaluate tehnic
Materiale	Indeplineste cerintele	EN 817:2008	Piesa 5
Caracteristici dimensionale	Indeplineste cerintele		Piesa 6
Caracteristicile de etanseitate la scurgere	Indeplineste cerintele		Piesa 8
Caracteristicile rezistentei la presiune	Indeplineste cerintele		Piesa 9
Caracteristici hidraulice	Indeplineste cerintele, pentru presiunea 0,3 MPA BEW 260M – clasa A BEW 260E – clasa A BEW 262M – clasa Z BEW 262E – clasa Z BEW 760M – clasa A BEW 760E – clasa A BEW 762M – clasa Z BEW 762E – clasa Z BEW L62M – clasa Z BEW L62E – clasa Z BEU S62M – clasa Z BEU S62E – clasa Z		Piesa 10
Caracteristici mecanice ale rezistentei - test de torsiune pentru mecanismul de functionare	Indeplineste cerintele		Piesa 11
Caracteristici mecanice de anduranta	Indeplineste cerintele		Piesa 12
Protectie reflux	Indeplineste cerintele		Piesa 13
Caracteristici acustice	Indeplineste cerintele grupei I		Piesa 14

9. Performanta produsului identificat la punctele 1 si 2 este in conformitate cu performanta declarata la punctul 8. Aceasta declaratie de performanta este emisa pe raspunderea exclusiva a producatorului identificat la punctul 4.

Lodz, 2020-02-14

Fisierul original este semnat in numele producatorului de catre

Mr Wojciech Borkowski (CEO -Director General Executiv)